

# Certificate



Certificate of conformity of  
factory production control  
No. 3510/2024

AS "Kiwa Latvia" has granted this certificate as proof that

## Ready-mixed concrete:

1. Designed normal-weight concrete C16/20, C20/25, C25/30, C30/37, C35/45, C40/50, C45/55, C50/60; consistence classes S1 to S5.
2. Self-compacting concrete (SCC) C30/37; consistence classes SF1 to SF3;  
Resistance to water penetration up to W12; Exposure classes: X0, XC, XD, XA, XS, XF according to the Annex,

PRODUCED BY:

## SIA Transportbetons MB

Graudu ielā 4, Jelgava, LV -3001, Latvia; Reg. No. 48503013571

PLANT ADDRESS:

SIA "TRANSPORTBETONS MB", Muižas ielā 37, Ādaži, Ādažu novads, LV-2164, Latvia

CERTIFIED ACCORDING:

Certification scheme, based on initial inspection and approval of the factory and of the factory production control and the continuous surveillance, assessment and approval of the factory production control.

PRODUCT COMPLIES WITH THE REQUIREMENTS OF STANDARD:

**EN 206+A2:2021 „Concrete. Specification, performance, production and conformity” and LVS 156-1:2022 “Concrete. Latvian National Annex to European standard EN 206 “Concrete. Specification, performance, production and conformity”**

Certificate first issued on 26 April 2024 and remains valid as long as the conditions laid down in the above-mentioned standard, related provisions, the manufacturing conditions in the factory and the product specification of the certified type are not modified significantly.

30 July 2025

**Mārtiņš Maskavs**

Certification manager



Certificate issued on one page with Annex on one page



EN ISO/IEC 17065

S1-182

AS Kiwa Latvia

Skanstes iela 54, Rīga

LV-1013, Latvija

T. +371 67 607 900

latvia@kiwa.com

[www.kiwa.com/lv](http://www.kiwa.com/lv)

## Annex

Certificate No. 3510/2024

**Product:** Ready-mixed concrete: designed normal-weight concrete and SCC.

**Manufacturer:** SIA "TRANSPORTBETONS MB", Muižas iela 37A, Ādaži, LV-2164

Characteristics	Declared properties	
	min	max
Aggregate size	4	16
Chloride content class	Cl 0,2	Cl 1,0
Consistence		
Normal-weight concrete - Slump classes	S1	S5
SCC - Slump-flow classes	SF1	SF3
Compressive strength, class		
Normal-weight concrete	C16/20	C50/60
SCC		C30/37
Freeze-thaw resistance		F300
Resistance to water penetration		W12
Exposure classes related to environmental actions		
Exposure classes for no risk of corrosion or attack		X0
Exposure classes for risk of corrosion induced by carbonation	XC1	XC4
Exposure classes for risk of corrosion induced by chlorides other than from sea water	XD1	XD3
Exposure classes for risk of corrosion induced by chlorides from sea water	XS1	XS3
Exposure classes for risk of chemical attack	XA1	XA3
Exposure classes for risk of freeze/thaw attack	XF1	XF4

30 July 2025

**Mārtiņš Maskavs**

Certification manager



EN ISO/IEC 17065

S1-182

AS Kiwa Latvia

Skanstes iela 54, Rīga

LV-1013, Latvija

T. +371 67 607 900

latvia@kiwa.com

[www.kiwa.com/lv](http://www.kiwa.com/lv)